

Animal Performance and Traceability

Web and Mobile App Weigh Scales EID Tag Readers Weighing Platforms and Sheep Handlers



Contents

Systems

Sheep Auto Drafter

Service and Support

Sheep Handlers

Systems	
Animal Performance Systems	Page 5
System Selection Charts	Pages 6-9
Animal Performance Software	Page 10-11
Products	
Weighing & Data Recorders	Page 12
Touch Screen Weigh Scales	Page 15
Entry-level Weigh Scales	Page 21
Weigh only - Mobile Phone	Page 24
Load Bars	Page 25
Wireless	Page 26
Wired Load Bars and Accessories	Page 28
EID Readers	Page 30
Hand Held EID Tag Reader	Page 31
Hands Free, Fixed EID Tag Readers	Page 34
Platform's and Handlers	Page 36

Page 38

Page 41

Page 46


Animal Performance and Traceability

Animal Performance & Traceability solutions make collecting data and handling animals safe, simple, and efficient, leading to more informed decision-making and higher on-farm productivity.

With over 85 years of experience in the farming industry, Gallagher delivers a seamless and integrated experience with our market-leading ecosystem of livestock management software, data collection devices, and handling equipment.



4 Animal Performance and Traceability



At Gallagher, our Animal Performance & Traceability solutions empower farmers to make informed decisions by providing them with meaningful and timely insights on the health and performance of their animals. By monitoring the performance of your animals and tracking their movements throughout the supply chain, you can make more informed decisions about breeding, feeding, and management. You can also ensure the safety and quality of your animal products and more easily comply with regulatory requirements.


From herd management software, data collection hardware and utilising electronic identification tags, to animal handlers, our products are tailored to meet the unique needs of Australian farmers.

Whatever your livestock operation, we have the tools and expertise to help you succeed.

Discover how our products can help you safely and efficiently manage your animals and transform your livestock operation to boost your profitability.

Weighing, Data Collection and EID System

The best option for farmers looking to manage their business more profitably. An advanced system that works together to automate animal management and handling tasks, saving time and money.



Weigh Only System

An easy to use yet powerful system that accurately measures animal weight so that farmers can track performance.



System Options

5

EID Only System

The quick and easy way to comply with NLIS traceability legislation, and to collect animal data anywhere on farm.



Selection Chart 6

	I am a ep Producer no wants to	Weigh my stock and have basic data analysis tools	Weigh my stock and draft by weight	Weigh my stock, draft by weight and quickly add notes and animal alerts	Weigh my stock, draft by weight or predefined draft list and record individual animal data		nd draft by weight ed draft list	Weigh my stock, record individual animal data and set up draft lists to draft by traits (including weight)		
	Software	Animal Peformance Plus	Animal Peformance Every Day		Animal Performance Plus (Note, also compatible with Animal Performace Every Day					
Weigh Scale		Smart Phone	W-O	245 ₁₉ W-1	245kg TW-1	388, Street Street Stre	TWR-1	358 Sectors Frage		
		(not sold by Gallagher)	VV-0	VV-1				111-5		
	Handler	3-way drafting crate	3-way drafting crate	3-way drafting crate	3-way drafting crate	3-way drafting crate	Sheep Auto Drafter	3-way drafting crate		
	Load Bars	600mm, 2500kg Wireless	600mm, 2500kg	600mm, 2500kg	600mm, 2500kg	600mm, 2500kg	Load Bars built into Sheep Auto Drafter	600mm, 2500kg		
EID	Portable	HR5 EID Tag Reader	N/A	HR5 EID Tag Reader	HR5 EID Tag Reader	N/A	N/A	HR5 EID Tag Reader		
Reade	er Fixed	N/A	N/A	N/A	BR Reader	Reader built into TWR-1	Reader built into TWR-1	BR Reader		
An	tenna Panel	N/A	N/A	N/A	Antenna (if using BR Reader)	600mm Antenna Panel	Antenna built into Sheep Auto Drafter	Antenna (if using BR Reader)		
Tra	ait recording	Record 9 traits per session using the HR5	N/A	Record 9 traits per session using the HR5	Record 9 traits per session using the HR5	Record Notes	Record Notes	Record 3 traits per session		
We und operation discuss our Ter will be a	Suggested package erstand every farming n is different, so please your requirements with rritory Managers who able to create custom es to suit specific your needs.	HR5 EID Tag Reader + 600mm, 2.5T Wireless Load Bars + Animal Performance Plus	W-0 Weighscale + 3-way crate + 600mm 2.5T Load Bars + Animal Performance Everyday	W-1 Weighscale + 3-way crate + 600mm 2.5T Load Bars + HR5 EID Tag Reader + Animal Performance Plus	Hand-Held Reader Option TW-1 Weighscale + 3-way crate + 600mm 2.5T Load Bars + HR5 EID Tag Reader + Animal Performance Plus Fixed Reader Option TW-1 Weighscale + 3-way crate + 600mm 2.5T Load Bars + BR Reader + 600mm Antenna Panel + Animal Performance Plus	TWR-1 Weighscale + 3-way Crate + 600mm 2.5T Load Bars + 600mm Antenna Panel + Animal Performance Plus	TWR-1 Weighscale + Sheep Auto Drafter + Animal Performance Plus	Hand-Held Reader Option TW-3 Weighscale + 3-way drafting crate + 600mm 2.5T Load Bars + HR5 + Animal Performance Plus Fixed Reader Option TW-3 Weighscale + 3-way drafting crate + 600mm 2.5T Load Bars + BR Reader + 600mm Antenna + Animal Performance Plus		

Selection Chart

Weigh my stock, record individual animal data and set up draft lists to draft by traits (including weight)

7



8 Selection Chart

	4							
С	I am a attle Producer who wants to	Weigh my stock	Weigh my stock and draft by weight	Weigh my stock, draft by weight and quickly add notes and animal alerts	Weigh my stock, draft by weight or predefined draft list and record individual animal data	Weigh my stock and draft by weight or predefined draft list	Weigh my stock, record individual animal data and set up draft lists to draft by traits (including weight)	Weig individ set u by tra
	Software	Animal Peformance Plus	Animal Peformance Everyday		Animal Performance Plus (Note	e, also compatible with Animal Perfo	ormace Every Day with limited featur	res only)
Weigh Scale		Smart Phone (not sold by Gallagher)	W-O	VV-1	245 ₄ 1000 TW-1	SBB 388 (5) FFF 19 19 19 19 19 19 19 19 19 19 19 19 19	358,400 FW-3	
	Handler	Platform or Crush	Platform or Crush	Platform or Crush	Platform or Crush	Platform or Crush	Platform or Crush	
	Load Bars	600mm (2500kg) or 1000mm (5000kg) Wireless	600mm (2500kg) or 1000mm (5000kg)	600mm (2500kg) or 1000mm (5000kg)	600mm (2500kg) or 1000mm (5000kg)	600mm (2500kg) or 1000mm (5000kg)	600mm (2500kg) or 1000mm (5000kg)	6 1
EI	Portable	HR5	HR5	HR5	HR5	N/A	HR5	
	ader Fixed	N/A	N/A	N/A	BR Reader	Reader built in TWR-1	BR Reader	Re
	Antenna Panel	N/A	N/A	N/A	Antenna (if using BR Reader)	600mm Antenna Panel	Antenna (if using BR Reader)	60
	Trait recording	Record 9 traits per session using the HR5	N/A	Record 9 traits per session using the HR5	Record 9 traits per session using the HR5	Record Notes	Record 3 traits per session	Reco
Suggested package We understand every farming operation is different, so please our Territory Managers who will be able to create custom packages to suit your specific needs.		HR5 EID Tag Reader + 600mm, 2.5T Wireless Load Bars + Animal Performance Plus	W-0 Weighscale + 600mm 2.5T Load Bars + Animal Performance Everyday	W-1 Weighscale + Platform + 600mm 2.5T Load Bars + HR5 EID Tag Reader + Animal Performance Plus	Hand-Held Reader Option TW-1 Weighscale + Platform + 600mm 2.5T Load Bars + HR5 EID Tag Reader + Animal Performance Plus Fixed Reader Option TW-1 Weighscale + platform + BR Reader + 600mm Antenna Panel + Animal Performance Plus	TWR-1 Weighscale + Platform + 600mm 2.5T Load Bars + 600mm Antenna Panel + Animal Performance Plus"	Hand-Held Reader Option TW-3 Weighscale + HR5 EID Tag Reader + 600mm 2.5T Load Bar (Platform) + Platform or 1000mm 5T (Crush) Fixed Reader Option TW-3 Weighscale + BR Reader + 600mm Antenna + 600mm 2.5T Load Bar (Platform) + Platform or 1000mm 5T (Crush)	1 + 6 + 6 (Platfor + An

Selection Chart

eigh my stock, record vidual animal data and t up draft lists to draft raits (including weight)



TWR-5

Platform or Crush

600mm (2500kg) or 1000mm (5000kg)

N/A

Reader built in TWR-5

600mm Antennal Panel

ecord 9 traits per session

TWR-5 Weighscale + 600mm Antenna Panel + 600mm 2.5T Load Bar form) or 1000mm 5T (Crush) Animal Performance Plus



9

Need more assistance finding your AP&T set-up?

Contact our Customer Support team on 1800 425 524 for expert advice on the best solution for your needs.



Animal Performance Web & Mobile App 10

& territor

CLOUD

CONNECTED

· Autoria 1 -

Animal Performance Web & Mobile App

A better view of your animals.



Animal Performance web and mobile app completes your Gallagher Weighing and EID devices.

Take control of animal production with an all-in-one hardware and software solution that allows you to track livestock performance, make better decisions and grow your profit.


Meaningful insights and simple data analysis so you can make more informed decisions to optimise on-farm productivity.

Features

View your animal data from anywhere at any time, on multiple devices

Sync your animal data without leaving the yards

Built-in NLIS compliance



Animal Performance Features


Sync with Gallagher web enabled scales and readers
Livestock record keeping
NLIS Transfers
Export session records to use in other programs
Manage animals in mobs and groups
Set mob weight targets
Compare mob and group performance
Export animal history
Import data from other programs
Create draft lists
Edit animals and data fields
Create new animals and data fields
Filter animals and create views
Explore data in hundreds of different ways

Monitor animal performance and even collect weights on your phone with wireless load bars and a handheld EID reader

IMPORTANT: The information presented in this document is valid at the time of printing and may change without notice. Visit am.gallagher.com for the latest information.

Powerful integration with third-party apps

The Gallagher Animal Performance Web & Mobile App can seamlessly integrate with other farm management platforms. Watch this space - we have more integration partners coming online soon.



11



Weigh Scales and Data Recorders 12

I 4 ?

Expo bull 2016

(l)

()

Weigh Scales and Data Recorders



Weighing your livestock is a powerful performance measurement tool for farmers.

Monitoring livestock weight gives farmers insight into animal growth, health and performance, allowing them to make more informed management decisions using data that is accurate and easily accessible.

Weigh Scales

Why weigh?

You can't manage what you don't measure.

Why weigh your livestock?

Weighing your livestock is a powerful performance measurement tool for farmers. Monitoring livestock weight gives farmers insight into animal growth, health and performance, allowing them to make more informed management decisions using data that is accurate and easily accessible.







The benefits of weighing your livestock:

Monitor the growth of your animals

Monitor animal health

Measure feed conversion to maximise yield by monitoring weight gain over time

Reach target animal weights prior to mating for better reproduction rates

Determine if weaning weights have been achieved

Select animals by weight for sale and slaughter

Evaluate animal breeding performance for genetic selection

Why weigh with EID?

Recording EID tags when weighing livestock makes your data even more powerful - building a total picture of every individual animals performance history on your farm.

Combining weights with animal ID numbers enables you to accurately record and monitor individual animal health, growth, and performance over its lifetime.

Recording animal EID tags also makes NLIS compliance easy, giving each animal a unique ID number to register with NLIS using the Gallagher Animal Performance web and mobile app.

Weigh Scale Comparison Chart 14

						NEW	
Features	TWR-5	тพ-з	TWR-1	TW-1	W-1	Animal Performance Plus app via Wireless Loadbars	W-0
Weighing and data function	Weight + Weight gain + Traits	Weight + Weight gain + Traits	Weight + Weight gain	Weight + Weight gain	Weight + Weight gain	*Weight only	Weight only
Data function	~	~	~	~	~	~	~
Internal rechargable battery	~	~	~	~	~		~
Max number of weigh records	1,000,000+	1,000,000+	1,000,000+	1,000,000+	*1,000,000+	*1,000,000+	*1,000,000+
EID compatible	~	~	~	~	~	+	+*
Built-in integreated EID reader	~		~				
Assign VID (visual tag) against an animal	~	~	~	~	~	~	*
Calculates average daily gain	~	~	~	~	~	~	
ndividual animal notes and alerts	~	~	~	~	~	~	
Review full animal history on the scale, in the yards	~	~	~	~	~		
Number of traits recorded per session	9	з					
Custom defined traits (e.g Condition score, genetics etc)	~	~					
Neight based calculations (dose or kill weight)	~	~					
Record and manage treatments and witholding periods	~	~					
Drafting							
_iveweight drafting	~	~	~	~	~	~	*
Draft by weight gain	~	~	~	~	~	*	
Draft from imported draft list by EID tag	~	~	~	~	~	*	
On screen drafting statistics	~	~	~	~	~	~	*
_arge coloured drafting groups	~	~	~	~	~	~	*
Naximum number of draft groups	9	9	9	9	9	9	9
Connectivity							
Automatic Loadbar recognition & calibration	~	~	~	~	~	~	
Bluetooth connectivity	~	~	~	~	~	~	~
ViFi connectivity	~	~	~	~	~	~	
Animal Performance web and mobile app (see page 13)							
Compatible with Animal Performance ecosystem	~	~	~	~	~	~	*
Bluetooth connectivity to Animal Performance mobile app						~	*
Jpload data straight to Animal Performance via WiFi	~	~	~	~	~	~	*

Touch Screen Weigh Scales

The Gallagher Touch Weigh Scale range makes weighing and data management easier than ever before. Manage your animal weights and data all on an easy to use, fully intuitive touch screen.

Outdoor readable touch screen

Data analysis and graphs





Utilising market leading touch screen technology the full colour LCD display is outdoor readable, designed to be easily read in full sunlight.

Record and analyse animal performance data with on screen data records and performance graphs.

MODEL	WEIGHING AND DATA FUNCTION	TOUCH SCREEN	NUMBER OF TRAITS RECORDED PER SESSION	BUILT IN EID READER	CONNECTION TO ANIMAL PERFORMANCE
TWR-5	Weight + Weight gain + Traits	~	9	~	~
TW-3	Weight + Weight gain + Traits	~	3	-	~
TWR-1	Weight + Weight gain	~	-	~	~
TW-1	Weight + Weight gain	~	-	-	~

Touch Screen Weigh Scales

15

Built in EID Tag reader



All-in-one weigh scale, data collector and EID tag reader, TWR Weigh Scales combine two pieces of weighing hardware into one weigh scale.

TWR Weigh Scales only.

Simplifying the Weigh Scale experience

The Gallagher Touch Weigh Scale range makes weighing and data management easier than ever before. Manage your animal weights and data all on an easy to use, fully intuitive touch screen.







On board help, 24/7



Simple connectivity options

Animal performance data at your fingertips

The Gallagher Touch Screen Weigh Scales make recording and analysing weight and weight gains easy. View individual weight gain graphs, as well as weight distribution plots for all animals within a weighing session.



Draft by weight, weight gain or eid list (and traits on the TWR-5 & TW-3)



View animal weight gain charts



View weight distribution of a session



Just plug into your existing load bars and you have everything you need to start weighing:

- Tough and convenient Gallagher carry case

- Mounting bracket
- Micro-fibre screen cloth
- Battery charging cable
- Mains charging cable
- USB cable for data transfer to PC

Add an antenna panel or EID reader to record weights against EID tags



TWR-5

G02606

MAGIC, WITHOUT THE WAND. THE WEIGH SCALE THAT READS TAGS.



TWR Weigh Scales include all the features from page 16, plus:

Benefits

Animal notes and note alerts

Record notes against animals on the spot for later review.

Comprehensive recording of life data and traits

For farmers wanting to record and review more information than simply weight on their animals. Record up to 9 traits per session.

Record treatments on the spot

Animals can be weighed and administered the correct dose rate, all recorded on the weigh scale at the time of treatment.

Draft up to 9 groups

Draft by weight, weight gain, predetermined EID list or by recorded life data and traits.

Integrated EID reader*

Built in EID reader means the farmer can plug the weigh scale straight in to an EID antenna to record weights and easily scan EID tags. This eliminates the need to purchase a separate EID reader.

Flexible mounting options

Easy to use sitting flat, or mounted to a vertical surface. The adjustable mounting bracket allows you to easily tailor the viewing angle for optimum visibility.



Requires antenna panel to utilise in-built EID reader function. sold separately - see page 35.

TWR-5 Weigh Scale

An all-in-one weigh scale, data collector and EID tag reader, TWR Weigh Scales combine two pieces of weighing hardware into one, enabling the task of tag reading and weighing to be done easily and efficiently.

17



No loadbar cables needed - compatible with Wireless Loadbars Bluetooth connectivity to Wireless Loadbars removes the hassle and risk of cables being chewed by rodents, stood on by stock or damage to traditional scale connectors



TW-3 Weigh Scale 18

G02603

WEIGHT GAIN & ANIMAL **PERFORMANCE AT THE TOUCH OF A FINGER**

Simple to operate weigh scale and data collectors make weighing and data management easier than ever before - all on an easy to use, fully intuitive touch screen.



TW Weigh Scales include all the features from page 16, plus:

Benefits

TW-3

Animal notes and note alerts Record notes against animals on the spot for later review.

Comprehensive recording of life data and traits For farmers wanting to record and review more information than simply weight on their animals. Record up to 3 traits per session.

Record treatments on the spot

Animals can be weighed and administered the correct dose rate, all recorded on the weigh scale at the time of treatment.

Draft up to 9 groups

Draft by weight, weight gain, predetermined EID list or by recorded life data and traits.

Flexible mounting options

Easy to use sitting flat, or mounted to a vertical surface. The adjustable mounting bracket allows you to easily tailor the viewing angle for optimum visibility.

No loadbar cables needed - compatible with Wireless Loadbars

Bluetooth connectivity to Wireless Loadbars removes the hassle and risk of cables being chewed by rodents, stood on by stock or damage to traditional scale connectors



TWR-1 G02602

MAGIC, WITHOUT THE WAND. THE WEIGH SCALE THAT READS TAGS.



TWR and TW Weigh Scales include all the features from page 16, plus:

Benefits

Animal notes and note alerts

Record notes against animals on the spot for later review.

Draft up to 9 groups

Draft by weight, weight gain or predetermined EID list

Integrated EID reader*

Built in EID reader means the farmer can plug the weigh scale straight in to an EID antenna to record weights and easily scan EID tags. This eliminates the need to purchase a separate EID reader.

Flexible mounting options

Easy to use sitting flat, or mounted to a vertical surface. The adjustable mounting bracket allows you to easily tailor the viewing angle for optimum visibility.

No loadbar cables needed - compatible with Wireless Loadbars

Bluetooth connectivity to Wireless Loadbars removes the hassle and risk of cables being chewed by rodents, stood on by stock or damage to traditional scale connectors

The complete package, ready to go. Just plug into your existing load bars and you have everything you need to start weighing:

- Mounting bracket
- Tough and convenient Gallagher carry case
- Micro-fibre screen cloth
- Battery charging cable
- Mains charging cable •
- USB cable for data transfer to PC
- Upgrage with an EID reader to use with EID tags

Upgrade with an EID reader to use with EID tags. See pages 30-35.





Requires antenna panel to utilise in-built EID reader function. sold separately see page 35.

TWR-1 Weigh Scale

19

An all-in-one weigh scale, data collector and EID tag reader, TWR Weigh Scales combine two pieces of weighing hardware into one, enabling the task of tag reading and weighing to be done easily and efficiently.





TW-1 Weigh Scale 20

TW-1 G02602

WEIGHT GAIN & ANIMAL **PERFORMANCE AT THE TOUCH OF A FINGER**

Simple to operate weigh scale and data collectors make weighing and data management easier than ever before - all on an easy to use, fully intuitive touch screen.



TWR and TW Weigh Scales include all the features from page 16, plus:

Benefits

Animal notes and note alerts Record notes against animals on the spot for later review.

Draft up to 9 groups Draft by weight, weight gain or predetermined EID list

Flexible mounting options

Easy to use sitting flat, or mounted to a vertical surface. The adjustable mounting bracket allows you to easily tailor the viewing angle for optimum visibility.

No loadbar cables needed - compatible with Wireless Loadbars

Bluetooth connectivity to Wireless Loadbars removes the hassle and risk of cables being chewed by rodents, stood on by stock or damage to traditional scale connectors



Entry-level Weigh Scales

The perfect way to start measuring your livestock performance.

Monitor livestock weights to gain insights into how your stock are performing. With simple installation, easy to use design and connectivity to the Gallagher Animal Performance mobile app, these livestock weighing solutions are the ideal solution to start weighing.

Easy collection of weights

Mobile app connected





Intuitive, easy to install weighing systems that makes it easy to start monitoring animal performance.

Bluetooth connectivity sends weights and performance straight to the Gallagher Animal Performance mobile app.

MODEL	WEIGHING AND DATA FUNCTION	TOUCH SCREEN	NUMBER OF TRAITS RECORDED PER SESSION	BUILT IN EID READER	CONNECTION TO ANIMAL PERFORMANCE
W-1	Weight + Weight gain	-	-	-	✓ *
W-0	Weight only	-	-	-	✓*
Weigh Scale App via Wireless Loadbars	Weight only	✓*	-	*	✓.

The complete package, ready to go. Just plug into your existing load bars and you have everything you need to start weighing:

- Mounting bracket
- Tough and convenient Gallagher carry case
- Micro-fibre screen cloth
- Battery charging cable
- Mains charging cable
- USB cable for data transfer to PC
- Upgrage with an EID reader to use with EID tags

Upgrade with an EID reader to use with EID tags See pages 30-35.



Entry-level Weigh Scales

Sync your data with Animal Performance

21



Synchronise your animal data with the Animal Performance web and mobile cloud system to have the latest performance up-to-date on all your devices for further analysis.

* Bluetooth to phone

W-1 Weigh Scale 22

W-1 Weigh Scale G02501

Entry-level, EID compatible weigh scale with WiFi connectivity to sync your animal data to your Animal Performance web and mobile app.

Benefits

Record individual animal weight and weight gains Record weights and animal IDs to manage and improve individual animal health and performance

Large, easy to read colour screen Bright 5" LCD screen is easily read in all-weather conditions

Connects to wireless EID readers Built-in Bluetooth and WiFi connectivity enables simple connections with EID reader and software applications

No loadbar cables needed - compatible with Wireless Loadbars Bluetooth connectivity to Wireless Loadbars removes the hassle and risk of cables being chewed by rodents, stood on by stock or damage to traditional scale connectors

On the spot digital notes and alerts Record notes against individual animals for later review and receive alerts when the animal is next weighed

View animal performance in the yards Individual weight gain graphs and weight distribution plots for all animals in a weighing session

Long lasting, rechargeable lithium battery Internal rechargeable lithium battery operates for up to 15 hours

Simple to use interface Large intuitive keypad makes weighing and screen navigation straightforward

APP AVAILABLE G Q.,

W-0 Weigh Scale G02500

Entry level weigh scale to monitor livestock weights. Providing insight into animal health, growth and performance.

Benefits

Easily measure livestock performance Monitor weights to manage and improve animal health and growth

Simple to use interface Large intuitive buttons make weighing straightforward

Tough, farm ready exterior Built to withstand the harshest of farming environments

Long lasting, rechargeable power Internal rechargeable battery operates for up to 30 hours

Large, easy to read screen Backlit LED screen is easily read in all-weather conditions

Full control of your weigh scale

Change between automatic and manual weight lock modes directly on your scale

Suitable for permanent or temporary installation

Includes mounting bracket and hardware for permanent installation or easily used sitting flat or handheld

Record individual weight and weight gains on your phone with animal IDs*

Connect your HR4 or HR5 EID reader straight to the Animal Performance mobile app to scan EID tags and track individual animal performance for instant weight and weight gain records. *Animal Performance Plus subscription required

Sync your animal data without leaving the yards.

WiFi connectivity allows you to sync your animal data straight to Animal Performance web and mobile app, ensuring all your livestock information is up-to-date and available on your mobile app, P.C and other weighing hardware





Record livestock weights and sessions on your phone.

Bluetooth connectivity sends weights straight to the Gallagher Animal Performance App or 3rd party software applications



W-O Weigh Scale 23











Weigh only 24

Get started quickly and easily with Animal Performance mobile app and Wireless Load Bars

Your weigh scale is in your pocket. Use your phone to easily collect weights and monitor animal health and performance. Animal Performance Plus subscription fee applies.





Discover the added value of **Animal Performance Plus** with powerful tools to take your operation to the next level. See page 13 for more details.



Record livestock weights and sessions on your phone

Bluetooth connectivity records weights from Wireless Loadbars straight to the Animal Performance mobile app - removing the need for a weigh scale

Record individual weight and weight gains on your phone with animal IDs


Connect your Handheld EID reader straight to the Animal Performance mobile app to scan EID tags and linking them to weights to track individual animal performance

Plus, all the data analysis tools from Animal

Performance web and mobile app: Take control of your data with a fully connected solution that allows you to track animal performance, make better decisions and grow your profit.

- View your animal data from anywhere, at any time, on multiple devices
- Synchronise your animal data without leaving the yards
- Meaningful insights and simple analysis tools
- Built-in NLIS compliance







Load Bars



Wireless Load Bars

Eliminate the most common failure point of traditional Load Bars - the cables.

Wireless Load Bars remove the risk of cables being chewed by rodents, damaged by stock, water damage or damage to the weigh scale connection ports.

Wireless Weigh Scale system

Weigh scale in your pocket

Long lasting lithium battery



Connect wirelessly to a TW or TWR Weigh Scale.

Bluetooth connectivity sends weights straight to a Gallagher TW or TWR Weigh Scale, removing the hassle and frustration of Load Bars cables.

Use your phone to collect

livestock weights. Bluetooth connectivity sends weights straight to the Gallagher Animal Performance mobile app, removing the need for Weigh Scale.

*Animal Performance Plus subscription fee applies. See page 13 for more detail.



When battery is running low, the Animal Performance mobile app or your TW/TWR Weigh Scale will notify you to order a replacement lithium battery pack.

*Based on 4 hours of weighing per week.



Wireless Load Bars

Send weights straight to your Gallagher TW Weigh Scale or Animal Performance mobile app with Bluetooth connectivity.



Benefits

No cables needed

Wireless connectivity removes the risk of cables being chewed by rodents, stood on by stock or damaging traditional scale connectors

Transportable and easy to install

Wireless design makes Loadbars easier to transport and move to different weighing locations

Tough, farm ready exterior

Waterproof, galvanised steel chassis built to withstand the harshest of farming environments


The wireless weighing solutions

Bluetooth connectivity


Bluetooth connectivity sends weights straight to a Gallagher TW or TWR Weigh Scale. Make sure your Weigh Scale is updated with the latest software update.



Wireless Load Bars range:



2500kg Wireless Load Bars G06035 - 600mm



2500kg Wireless Load Bars G06135 - 1000mm

5000kg Wireless Load Bars G06335 - 1000mm

Wireless Load Bars

27



Accurate livestock weights, time after time Loadcells contain no moving parts, ensuring no wear for years of accurate weighing

Versatile Loadbars designed for use under weigh platforms and crushes

Universal design that fits under most livestock platforms and suitable for cattle crushes and sheep handlers

Weigh Scale app connectivity

Bluetooth connectivity sends weights straight to the Gallagher Animal Performance mobile app. Animal Performance Plus subscription fee applies. See page 13 for more detail.

Wired Load Bars

Gallagher Load Bars are packed with features for outstanding performance

A galvanised chassis to ensure long life, protected cables to minimise damage in the yard and easy maintenance with no moving parts.

Suitable Load Bars for all weighing set ups

Waterproof weigh scale connectors



The full range of Gallagher Load Bars are designed to work with all sorts of livestock weighing set ups, including sheep handlers, lightweight platforms or heavy cattle crushes. High quality, water proof connectors offer a reliable and secure connection between the Load Bars and Weigh Scale.

Load Bar and Platform Selection Guide

Find the correct weighing set up that best suits your needs using the table below.

- 1. Select the animal that you want to weigh
- 2. Then select your current or preferred method of containment to find the products you'll need.

		Sheep	Dairy	Calves	Cattle	Horses	Deer
containment	CRATE/ HANDLER	Load Bars 600 mm (G06000)	Heavy Duty Weigh Feet (G05420) 5000kg Load Bars (G06300)	2500kg Load Bars 600mm (G06000)	Heavy Duty Weigh Feet (G05420) Heavy Duty Load Bars (G06300)	n/a	2500kg Load Bars 1000mm (G06100)
Method of co	PLATFORM	N/A	2500kg Loadbars 600mm (G06000) Alloy (G05800) or Split Alloy Platform (SG05799)	2500kg Load Bars 600mm (G06000) Alloy (G05800) or Split Alloy Platform (SG05799)	2500kg Load Bars 600mm (G06000) Alloy (G05800) or Split Alloy Platform (SG05799)	2500kg Load Bars 1000mm (G06100) Horse Platform (SG05802)	2500kg Load Bars 1000mm (G06100) Horse Platform (SG05802)



2500kg Load Bars

600mm length G06000 / 1000mm length G06100

A versatile loadbar, fits most sized platforms with slotted topmounting holes.

Benefits

Designed for easier installation

Bottom feet mounting holes extend beyond the top covers for ease of bolting down $% \left({{{\rm{D}}_{\rm{B}}}} \right)$

Universal platform design Slotted top mounting holes consciously designed to fit most sizes of platforms

Tough, spring protected loadbar cables

6 metre long polyurethane loadbar cables covered with tough stainless steel protection springs

Reliable, long lasting design

Fully waterproof design with no moving parts or rubber mounts that can often breakdown and cause incorrect weights

Accessories



- 5000kg Load Bar (G06300)
- 6 metre long, tough
- polyurethane loadbar cables
- Fitted with high quality, moisture proof connectors.
- 250kg (G05500)
 500kg (G05501)
 Spring wire protected cable
- Fitted with high quality, moisture proof connectors.

Load Bars





5000kg Heavy Duty Load Bars

1000mm length - G06300

Designed to withstand large shock loads, ideal for permanent installation under a cattle crush.

Benefits

High capacity loadcells

Heavy Duty loadcells able to withstand large shock loads and record heavy stock weights

Ideal for permanent installation under large crushes

Heavy steel chassis construction to withstand the harshest environments $% \left({{{\rm{A}}_{\rm{B}}}} \right)$

Designed for easier installation

Bottom feet mounting holes extend beyond the top covers for ease of bolting down

Tough, spring protected loadbar cables

6 metre long polyurethane load bar cables covered with tough stainless steel protection springs

Reliable, long lasting design

Fully waterproof load bar design with no moving parts or rubber mounts that can often breakdown and cause incorrect weights

Weigh feet

Heavy Duty Weigh Feet Kit


5000kg weighing capacity G05420



- Tough, stainless steel weigh feet for easy mounting under cattle handlers and custom platforms
- Fast and easy loadcell replacement without major lifting
- High accuracy corner to corner performance for demanding weighing requirements
- Extra loadcell supplied in kit as a spare
- 2 year warranty.

Electronic Identification (EID) Tag Readers 30

Hand Held EID Tag Reader & Data Collectors



An EID tag reader is a critical part of an EID system. The reader captures the unique tag number of individual animals as they are weighed, treated, or identified in a yard or race.

EID Readers

Hand Held Portable EID Readers

Hand Held EID tag readers are lightweight, hardwearing and easy to use perfect for on the go use at different sites - animal data can be can be read, recorded, and collected anywhere on the farm.

Large easy to read LCD screen



2.8" backlit colour display with high resolution large graphics is easy to read indoors and out.

MODEL	WEIGHING AND DATA FUNCTION	COLOUR LCD SCREEN	NUMBER OF TRAITS RECORDED PER SESSION	ENTER VID NUMBERS	CONNECTION TO ANIMAL PERFORMANCE
HR5	Editable data recording and EID scanning	~	9	~	~
HR4	Pre-defined data recording and EID scanning	~	3*	-	~

Link EID tags with animal weights

Bluetooth connectivity to your weigh scale links EID tags with animal weight, allowing you to monitor animal performance data over it's lifetime

*pre-defined prior to session

31

HR4 & HR5 Hand Held EID Tag Reader 32

G03303

132



HR5 v2 Hand Held EID Tag Reader and Data Collector

With its large colour screen and alpha numeric keypad, the HR5 Hand Held EID Tag Reader is the most powerful portable data collection and editing platform available providing flexibility right there in the yard.

Benefits

Scan and record electronic ID tags

Scan RFID tags, linking them a weight on a weigh scale or recording them on a the EID reading device for data collection or compliance traceability

Send EID numbers straight to your weigh scale or Animal Performance mobile app*

Bluetooth connectivity to your weigh scale or mobile phone links EID tags with animal weight, allowing you to monitor animal performance data over it's lifetime. *Subscription fee applies for mobile connection

Send and receive draft lists and session data from your Animal Performance account

WiFi connectivity to Animal Performance web & mobile app allows data to be syncronised to your account without needing to visit the the office

Large easy to read screen

2.8" backlit colour display with high resolution large graphics - easy to read indoors and out



Convenient heavy duty carry case Both models come complete with pastic carry case, that includes user manual, charging and PC connection cables.

HR4 v2 Hand Held EID Tag Reader and Data Collector

The perfect tool for portable EID data collection. Easy recording of pre-defined animal data against EID tag numbers.



Market leading ergonomic design

Long reach snout with rubber hand grip and hand guard for added safety

LED light, vibration and beeper

Know when you have successfully scanned a tag with LED light, hand vibration and beeper keeping you informed

Pair with other devices

Easily search and connect via Bluetooth to other devices

Fast and continuous EID reading mode

Read multiple tags in quick succession with one trigger click - no need to repeatedly click the trigger between reads



Compatible with Animal Performance web and mobile app See page 9 for details.

HR4 & HR5 activities



Collect data, not just EID numbers Easily read visual and EID tag Choose multiple traits to record Large display clearly shows visual ID against each animal such as breed. and EID tag numbers to confirm the sex, condition score and pregnancy correct animal's information is being status

HR5 only activities

numbers

collected.





Large display clearly shows visual ID and EID tag numbers to confirm the correct animal's information is being collected

 ${\it Easily read visual and EID tag numbers } {\it Collect data, not just EID numbers}$ Choose multiple traits to record against each animal such as breed, sex, condition score and pregnancy status

HR5 only activities





Record visual ID's Visual ID's can be added on the go, and used to identify and record information against an animal eg. replacing a lost EID tag number

Link mothers to their offspring

- Automatically link mothers with their newborns
- Add birthing details and data such as sex, birthing ease and fate.





Sort on the go

Sort group name is highlighted on screen for easy reference with optional group colours.



View animal history View past traits, activities and life data recorded against an animal.



Sort on the go

Sort group name is highlighted on screen for easy reference with optional group colours.



Add and edit session names Customise session names. making it easy to identify sessions once uploaded to your Animal Performance account



Versatile data entry Animal notes can be set to appear as an alert when the animal is next scanned.




Records weights and displays gain Receive weights from your weigh scale via Bluetooth to record against the animal's ID. View weight and weigh gain data for an individual animal.

Hands Free, fixed EID Reader

Hands Free EID tag readers comprise an antenna panel and an electronic controller. The readers are fixed in place, usually on a weighing crate or at a location in a race, for hands free, automated reading of EID tags.

Connects to TWR Weigh Scales

Long-life, water proof construction





TWR-5 and TWR-1 include a built in EID reader. Farmers can plug the weigh scale straight in to an EID antenna panel to record weights and easily scan EID tags. This eliminates the need to purchase a separate EID controller.

Permanently mounted to a crush or race, suitable for use in all weather conditions and designed for harsh farming environments.



Sheep Run Past Antenna The unique design of the Gallagher Run Past Sheep Antenna greatly improves the pick-up rate of EID tags when sheep are moving by at speed in a single file race. See page 40 for more details.

EID Readers and Antennas

Gallagher Hands Free EID Tag Readers are ideal for fixed, hands-free EID data collection on any livestock, usually in a weighing crate or at a location in a race. An EID tag reader enables farmers to reap the maximum value from their EID tags, beyond simple compliance. With up to 1.2m read range, these permanent hands-free EID reading solutions are easy to use and a reliable way to collect EID data as an animal walks past or weighed in a crush or race.

EID Tag Reader Antenna Panel (G03124) pictured with the TWR-5 Weigh Scale (G02606)

Benefits

Multiple sizes for all livestock or animal vard configurations EID Panels are available in multiple sizes, with additional extension cable available to suit all animal types and different weighing and EID set ups:

1300mm Antenna Panel G03112 600mm Antenna Panel G03121 600mm EID Tag Reader Antenna (6m cable) G03124 (Pictured) Antenna Extension cable 4m G05600/6m G05603

Long-life, waterproof panel

For outdoor use in all weather. Available in 1300mm and 600mm sizes

Easy installation with all hardware included

Simply mount panel using reinforced mounting hardware within your yards and plug in t your TWR Weigh Scale

No calibration required

Antenna automatically tunes to the Tag Reader Controller, no fiddling or calibration required

Hands Free EID Tag Readers

35



Don't have a TWR Weigh Scale?

Add a battery powered, bluetooth enabled EID Tag Reader Conroller BR (G03111) to an Antenna panel to read and store up to 20,000 EID tags or pair with a non TWR EID compatible weigh scale



BR EID Tag Reader Controller with 600mm Antenna Panel pictured


Platforms and Handlers 36



Corrosion resistant aluminium weighing platforms that combine strength, portability and longevity to provide a safe and reliable platform for livestock weighing.

Gallagher weighing platforms are the ideal solution for static livestock weighing. Available in multiple dimensions for all animals.

Platforms and Handlers





Split Alloy Platform SG05799: 2200mm X 650mm

A versatile, two-piece alloy platform that locks together in the centre to form a strong, yet portable weighing platform that is designed for weighing cattle of all ages.

The Split Alloy Platform is easily broken down into two even pieces, making transportation around different weighing locations more manageable for a singular person. This two-piece platform can also be used as a calf weighing platform, with one half of the platform able to accommodate 2 load bars.


Cattle Weighing Platform SG05800: 2400mm X 705mm SG05805: 2400mm X 705mm - rubber lined

The recommended solution for weighing cattle. Made of 100% aluminium construction, this platform is high strength and corrosion resistant with the ability to weigh up to 1500kg loads.

Designed to fit 600mm long load bars (cabled or wireless) with the platform floor consisting of punched holes, making it easier to clean and offering more traction underfoot for cattle.

Gallagher recommends Norton Livestock Solutions for high quality cattle crushes, sheep and cattle yards for safe, efficient handling of livestock. Gallagher weighing and data collection hardware such as the TWR-5 weigh scale and wireless load bars are easily integrated in Norton equipment for a seamless Animal Performance and Traceability system.

Visit www.nortonlhs.com.au to find out what equipment would best suit your animal handling requirements. (Not available all areas).





Platforms and Handlers






Horse Weighing Platform

SG05802: 2400mm X 1000mm

An equine specific weighing platform that prioritises horse comfort and safety with a smooth rubber lined floor that provides quiet operation with increased traction under foot.

Ask your Territory Manager

Rubber-lined options are also available for quieter operation, increased traction and soft, smoother footing for your animals.



Sheep Auto Drafter

Fully automated system that is smoother, quieter and easier to set up and operate than any other sheep drafting product on the market. Includes a weigh crate, integrated load cells and EID antenna panels, control module with remote and three way draft module. Just add a Weigh Scale and it's ready to go.

Fully automated weighing and drafting





Includes a weigh crate, integrated load cells and EID antenna panels, control module with remote and three way draft module. Just add a Weigh Scale and it's ready to go.

Buy the Gallagher Sheep Auto Drafter with confidence and peace of mind.



Remote control operation Unit can be controlled by one operator.



High visibility control panel Includes emergency stop button, auto/manual status & fault lamp.

Benefits

Three way drafter gate design to encourage sheep movement Modular design makes for easy attachment. Add additional units to expand to 5-way drafting.

Built in EID panel readers

Compatible with TWR Touch Screen Weigh Scales to read sheep EID tags as they enter the drafter

Compatible with Gallagher and other branded weigh scales (Sold separately).





Sheep Auto Drafter

39

Quality, durable materials and construction

Composite material withstands repeated sheep impact

Save time with faster flow


Short travel split gates for rapid capture and release at entry and exit.

Superior safety for farmer and animal

No trapping points, metal bars or sharp edges

Fleece Weighing and Tracking

Track individual animal fleece performance such as micron, staple strength, or greasy fleece weight in the shed. Make management decisions based on individual and accurate animal data collected over a life time.



Using Gallagher Weighing & EID equipment with compatible barcode scanners and printers can simplify animal management decisions. Connect the HR5 (1) to a barcode printer (2) to quickly and easily print barcodes allocated to individual animal's fleece. Use Suspension Load Cells 3 and a barcode scanner 4 to guickly record weights and barcode information, viewable and recorded on a compatible Gallagher Weigh Scale 5.

Sheep Run Past Antenna G03122

The unique design of the Gallagher Run Past Sheep Antenna greatly improves the pick-up rate of EID tags when sheep are moving by at speed in a single file race.

Benefits

A unique internal design ensures high capture rate of EID information when animals are running past at pace

EIDs are captured by the paired antenna, whether sheep are tagged in the right or left ear

Varying the gap between the antennas allows for small or large animals

The solid plastic construction ensures theantennas are robust and sealed against moisture, dust ingress and are able to withstand direct animal impact

Ease and flexibility of set up as antennas can be mounted either on the inside or outside of an existing timber race and various options for attaching the mounting fixture to the antenna are available



Sheep Crate - Manual 3 Way SG05798

The manual 3-way drafter is a lightweight and portable drafting solution suitable to move from site to site. The easy sliding, inward opening doors, open within the crates footprint meaning it is suitable to use in a race.

Designed to fit most load bars with a weigh scale bracket attached it is the ideal solution for weighing and manual drafting your sheep.

Benefits

All Alloy construction Strong, lightweight crate ideal for moving from site to site

Adjustable utility bar Holds weigh scale at users eye level

Loadbar moulds Built in loadbar moulds under the crate base (suitable for 600mm loadbars)

Easy cleaning Drain holes on base makes cleaning simple

Adjustable interior wall allows for small lambs or larger rams

UNIT DIMENSIONS: 1400mm long X 640mm wide X 940mm high (excluding handles)

UNIT WEIGHT: 51kc





slides to bump into)



Sheep Handlers



Easy 3 way drafting via sliding gates

NO EXTRUDING DOOR SLIDES Crate doors open and shut within the crate's footprint (no extruding door



UNIQUE SWING DOOR ACTION Entry and exit gates open with a unique swing door action onto incoming or outgoing sheep, reducing the chance of getting two sheep in the crate at once

42 Sheep Handlers



Sheep Handler - Auto Weigh Crutch and Dag SG05794

Entry to the handler is controlled with an adjustable ramp clamp. This restrains the animal waiting to enter the handler, reducing animals backing up before the unit. This also allows two operators to work on the machine at one time.

Once on the handler, the unique top clamping system ensures sheep are well restrained and stopped from sitting down. Sheep can then be rolled on their side via the air switch - allowing for full access to the animal for crutching and animal inspection. The belly crutch mechanism gives further access to the animal and the ability to full belly crutch.

Operated with a weigh scale - automatic weighing, drafting and catching is activated by adjustable (magic eye) sensors, ensuring the animal is caught in desired position for required task. This leaves the operator free to supply sheep to the unit. The remote control lets the operator control the machine if an individual sheep needs additional attention during drafting sessions.

Benefits

Rolls sheep on their side for dagging and crutching - throughput between 80-150 sheep per hour

Automatic weighing and 3 way drafting - throughput between 500-800 sheep per hour

Remote control included

Dimensions 4700mm length x 1640mm wide.

OPTIONAL EXTRA: Transportation kit (SG05795)

Sheep Handler - Crutch and Dag

SG05796

Features a unique top clamping system that ensures sheep are well restrained in the handler and held from sitting down in the clamp.

Rolling the sheep onto their side is easily acheived with the air switch control allowing for full access to the underside of the animal for crutching and animal inspection. The belly crutch mechanism gives further access to the animal.

Available with either Manual Catch (SG05792) or Auto Catch (SG05976) functionality.



Sheep Handlers



Sheep Handler - Auto Weigh

SG05807

Fast and accurate weighing and drafting using the que scissor clamping system, holding the animal more securely and stopping the animal from sitting down in the handler.

No width adjustment is required for differing animal sizes. The open top design gives good access to the top and head of the animal. Crutching is acheived in an upright position. A rollover option is available to give easier access to the sheep's feet and head. This is a compact and economical handler if full belly access is not required. Available with or without a ramp clamp to capture sheep on approach.

Standard Features:

- Scissor side clamping
- Portable
- Loadbars and transport kit available to purchase separately.

Brilliantly simple farm management

Gallagher pioneered New Zealand's first electric fencing system in 1938 and is today an internationally renowned leader in the innovation of animal management products. Our customers are the focus of all our decisions and actions, driving us to continue to make farm life easier and more profitable.

inspired solutions to redefine what's possible for customers around the world.




We're good listeners

farming.

Decades of field expertise and listening to farmers from around the world means

Gallagher understands their unique needs and are committed to creating solutions

that open up new opportunities for better



Farming may be the 'good life' but it's certainly not easy..

Being a farmer himself, Bill Gallagher Snr understood the challenges of farming and wanted to make it simpler. Inventing NZ's first electric fence in the 30's, he did just that. More than 85 years on, we're in it for the long haul - still getting stuck in alongside farmers to make the hard job of farming easier. The Gallagher story really does start with a story - and one that illuminates the approach we still take today in designing brilliant solutions for our customers.

85 years on, we're in it for the long haul still getting stuck in alongside farmers to make the hard job of farming easier.

It's in our DNA to discover, design and deliver customer



You can do it the hard way...or the Gallagher way Brilliantly simple solutions that make farm life easier and more profitable – it's what Gallagher does best.



Farm fit guaranteed

environmental stress tests to check it can handle the toughest



to help

Gallagher is passionate about providing personalised and comprehensive customer service and support on our entire range of products. Our Customer Service and Support teams located in Australia are only a phone call away to assist with any gueries you may have. Whether it's help with a product installation, a software upgrade, or just a good ol' how-to question, they deliver solutions to a wide range of customer requirements. Should your Gallagher unit require warranty repairs or servicing, our team are wellequipped to provide you with high-quality repairs and customer advice.

Product and Software Support

As part of our commitment to continuous improvement, Gallagher often releases software updates for our products. Please check our Software Downloads page for the most up to date software. If you need product or software support, please call our Customer Support team on 1800 425 524, or speak to your local Territory Manager. Our team is available Monday to Friday, 8:30am to 5:00pm AEST.

Service & Repairs

To arrange return of your item for servicing or repair, speak to your local reseller or contact our Customer Service Team on 1800 425 524. Our team is available 8:30am to 5:00pm AEST.

North West Field Team

Craig Moynihan

Regional Sales Manager North West Australia m/0473 300 010 e/craig.moynihan@gallagher.com

Steven Carlini Northern Queensland m / 0425 238 064 e/steven.carlini@gallagher.com

Stewart Greggor Central Queensland m/0425206712

e/stewart.greggor@gallagher.com Max Dwyer

Inland Southern QLD m / 0425 230 948 e/max.dwyer@gallagher.com

Graeme Lister Gold Coast m / 0447 343 471 e / graeme.lister@gallagher.com Charlie MacDougall

Tamworth North m/0488 229 582 e/charles.macdougall@gallagher.com

Nic Crompton

Coastal Southern Queensland & Northern NSW m / **0425 234 780** e/nicholas.crompton@gallagher.com

Nikayla Tagget

Northern NSW m/0425234781 e/nikayla.tagget@gallagher.com **Brendan Ryan** Central NSW & NT m/0425235299

e / brendan.ryan@gallagher.com **Murray Green**

Southern Western Australia m / 0425 718 478 e / murray.green@gallagher.com

Craig Movnihan

Northern Western Australia m/0473 300 010 e/craig.moynihan@gallagher.com

South East Field Team **Conal Wills**

Regional Sales & Marketing Manager South East Australia m / 0418 862 155

e/conal.wills@gallagher.com James McNaughton South West NSW Riverina

m/0428699679 e/james.mcnaughton@gallagher.com

Dean Paton

Kerry Botte

Sammie Raghdo

Brvce Dowler

Keith Richards

Jason Hjelm

South East NSW m/0425 204 148 e/dean.paton@gallagher.com

Customer Service Team

John Rentessis - Team Lead e/john.rentessis@gallagher.com

Kimberley Juers- Team Lead

e / kimberley.juers@gallagher.com Amber Bennett

e /amber.bennett@gallagher.com

Briarna Tye e/briarna.tye@gallagher.com

Amy Goodwin e / amy.goodwin@gallagher.com

Elise Smith e/elise.smith@gallagher.com

Isabella Clarke e / isabella.clarke@gallagher.com **Jasminca Hung**

e/jasminca.hung@gallagher.com

Arun Chavan e/techsupport.au@am.gallagher.com

Stephen Fitzgerald

Contact Us

47

Dean Paton

North East Victoria & Monaro NSW m/0425 718 479 e/dean.paton@gallagher.com

Justin Brown Central Victoria m/0425 718 480 e/justin.brown@gallagher.com

Trevor Wood Southern Victoria m/0425 708 447 e/trevor.wood@gallagher.com

Scott Osborne **Gippsland Victoria** m/0427 316 252 e/scott.osborne@gallgher.com

Justin Cooper Tasmania m/0425 704 365 e/justin.cooper@gallagher.com

Jack Linn Western Victoria m/0429842575 e / jack.linn@gallagher.com

Daniel Stuart South Australia m/0425 228 022 e/daniel.stuart@gallagher.com

e/kerry.botte@gallagher.com

e / sammie.raghdo@gallagher.com

Noel Hecker - Team Lead e / noel.hecker@gallagher.com

e / techsupport.au@am.gallagher.com

e/techsupport.au@am.gallagher.com

e / techsupport.au@am.gallagher.com

e/techsupport.au@am.gallagher.com

Customer Service Centre

Address 65 Scanlon Drive Epping VIC 3076

Telephone 1800 425 524

Free Fax 1800 337 949

Email sales.au@am.gallagher.com or techsupport.au@am.gallagher.com



GALLAGHER AUSTRALIA

65 Scanlon Drive, Epping VIC 3076, Australia sales.au@am.gallagher.com

GALLAGHER HEAD OFFICE

181 Kahikatea Drive, Hamilton 3206, New Zealand. Private Bag 3026, Hamilton 3240, New Zealand.

am.gallagher.com